

Author Index

- Abplanalp H., *see* Miller M.M.
 Alexander L.J. & Beattie C.W.: Sequence of porcine β -lactoglobulin cDNA, 263
 Adams T.E., *see* Parsons Y.M.
 Aleström P., *see* Lien S.
 Alexander L.J. & Beattie C.W.: The sequence of porcine α_{s1} -casein cDNA: evidence for protein variants generated by altered RNA splicing, 283
 Alexander L.J. & Beattie C.W.: The sequence of porcine β -casein cDNA, 369
 Alexander L.J., Das Gupta N.A. & Beattie C.W.: The sequence of porcine α_{s2} -casein cDNA, 365
 Alexander L.J., Levine W.B., Teng C.T. & Beattie C.W.: Cloning and sequencing of the porcine lactoferrin cDNA, 251
 see also Levine W.B.
 Anders I., *see* Schuberth H.-J.
 Andersson L., *see* Ellegren H.
 see also Mariani P.
 Archibald A.L., *see* Couperwhite S.
 Armitage S.M., *see* Moore S.S.
 Arnet E.F., *see* Vage D.I.
 Awata T., *see* Takahashi H.

 Baker J.F., *see* Rocha J.L.
 Ballingall K.T., Wright H., Redmond J., Dutia B.M., Hopkins J., Lang J., Deverson E.V., Howard J.C., Puri N. & Haig D.: Expression and characterization of ovine major histocompatibility complex class II (OLA-DR) genes, 347
 Barendse W., *see* Moore, S.S.
 Beattie C.W., *see* Alexander L.J.
 see also Levine W.B.
 Beckman J.S., *see* Kashi Y.
 Beever J.E. & Lewin H.A.: RFLP at the bovine phosphogluconate dehydrogenase (*PGD*) locus, 575
 Beever J.E. & Lewin H.A.: RFLP at the bovine Gardner-Rasheed feline sarcoma oncogene homologue (*FGR*) locus, 576
 Beever J.E. & Lewin H.A.: RFLP at the bovine liver, bone and kidney alkaline phosphatase (*ALPL*) locus, 577
 see also van Eijk M.J.T.
 Beh K.J., *see* Blattman A.N.
 see also Clarke R.A.
 see also Foley R.C.
 Bell K., *see* Simons M.
 see also Vankan D.M.
 Berger K.T., *see* Moore S.S.
 Blanco G., Sánchez J.A., Vázquez E., Rubio J. & Utter F.M.: Genetic differentiation among natural European populations of Atlantic salmon, *Salmo salar* L., from drainages of the Atlantic Ocean, 11
 Blattman A.N. & Beh K.J.: Dinucleotide repeat polymorphism within the ovine major histocompatibility complex, 392

 Bosma A.A., *see* Mellink C.H.M.
 Bosnes, M. *see* Harbitz, I.
 Bowling A.T. & Nickel L.S.: New A system allele of red cell alloantigens in Paso Fino horses, 557
 Brezinsky L., Kemp S.J. & Teale A.J.: ILST-SOO1: a polymorphic bovine microsatellite, 81
 see also Kemp J.
 Briles W.E., *see* Jarvi S.E.
 Broad T., *see* Phua S.H.
 Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF209 locus, 183
 Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF70 locus, 185
 Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF33 locus, 186
 Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the FCB4 locus, 393
 Buchanan F.C. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF214 locus, 394
 Buchanan F.C., Swarbrick P.A. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF65 locus, 85
 Bullfield G., *see* Johnson R.
 Burney A., *see* Jadot M.
 Byrne K., *see* Moore S.S.
 Byrns G., *see* Rudolph J.A.

 Cacciò S., *see* Damiani G.
 Cahaner A., *see* Uni Z.
 Carter N.P., *see* Dixon S.C.
 Chevalet C., *see* Lanneluc I.
 Chowdhary B.P., Harbitz I., Davies W. & Gustavsson I.: Localization of the calcium release channel gene in cattle and horse by *in situ* hybridization: evidence of a conserved synteny with glucose phosphate isomerase, 43
 Clarke R.A. & Beh K.J.: *TaqI* reveals a polymorphism in sheep when probed with the ovine IgE gene, 482
 Collins L., *see* Phua S.H.
 Cooper D.W., *see* Parsons Y.M.
 Couperwhite S., Kato Y. & Archibald A.L.: A *TaqI* RFLP at the porcine thyroid stimulating hormone β -subunit locus (*TSHB*), 567
 Couperwhite S., Hemmings B.A. & Archibald A.L.: A *BamHI* RFLP at the locus encoding the 65-kDa regulatory subunit of porcine phosphatase 2A (*PPP2ARB*), 568
 Crawford A.M., *see* Buchanan F.C.
 see also Swarbrick P.A.
 see also Wood N.J.
 Cullen P.R., *see* Nguyen T.C.

- Damgaard B.M., *see* Simonsen V.
- Damiani G., Pilla F., Leone P. & Cacciò S.: Direct sequencing and bidirectional allele specific polymerase chain reaction of the bovine β -casein B variant, 561
- Das Gupta N.A., *see* Alexander L.J.
- David V.A. & Deutch A.H.: Detection of bovine α_{s1} -casein genomic variants using the allele-specific polymerase chain reaction, 425
- Davidson B.P., *see* Phua S.H.
see also Wood N.J.
- Davies W., Kran S., Kristensen T. & Harbitz I.: Characterization of a porcine variable number tandem repeat sequence specific for the glucose-phosphate isomerase locus, 437
see also Chowdhary B.P.
see also Harbitz I.
- De Haan N.A., *see* Mellink C.H.M.
- Deutch A.H., *see* David V.A.
- Deverson E.V., *see* Ballingall K.T.
- Dietz A.B., *see* Swarbrick P.A.
- Dixon S.C., Miller N.G.A., Carter N.P. & Tucker E.M.: Bivariate flow cytometry of farm animal chromosomes: a potential tool for gene mapping, 203
see Miller J.R.
- Dodds K.G., *see* Tate M.L.
- Dolf G., Glowatzki M.-L. & Galliard C.: DNA fingerprinting in cattle using the probe pV47, 63
- Dunnington E.A., *see* Haberfeld A.
- Dutia B.M., *see* Ballingall K.T.
- Dzapo V., *see* Hiendleder S.
- Eggen A. & Fries R.: An *Eco*RI restriction fragment length polymorphism at the bovine *HEXB* locus, 289
- Ellegren H., Andersson L., Johansson M. & Sandberg K.: DNA fingerprinting in horses using a simple (TG)_n probe and its application to population comparisons, 1
- Ellegren H., Johansson M., Sandberg K. & Andersson L.: Cloning of highly polymorphic microsatellites in the horse, 133
see also Mariani P.
- Elsen J.M. *see* Lanneluc I.
see also Nguyen T.C.
- Elston R.C.: Segregation and linkage analysis, 59
- Engel W., *see* Keime S.
- Ferrand N. & Rocha J.: Demonstration of serum albumin (ALB) polymorphism in wild rabbits, *Oryctolagus cuniculus*, by means of isoelectric focusing, 275
- Foley R.C. & Beh K.J.: Analysis of immunoglobulin light chain loci in sheep, 31
- Friend M., *see* Gonzalez A.
- Fries R., *see* Eggen A.
see also Gunawardana A.
see also Solinas S.
- Fulton J.E., Otis J.S. & Guise K.S.: Discrimination of walleye, *Stizostedion vitreum vitreum* (Mitchell), stocks by isozyme analysis with cellulose acetate, 221
- Galliard C., *see* Dolf G.
- Gellin J., *see* Lanneluc I.
- Glass E.J., Oliver R.A., Williams J.L.W. & Millar P.: Alloreactive T-cell recognition of bovine major histocompatibility complex class II products defined by one-dimensional isoelectric focusing, 97
- Glowatzki M.-L., *see* Dolf G.
- Gonzalez A., Friend M., Morera L., Vögeli P. & Llanes D.: Mouse monoclonal antibodies to swine blood group antigens, 469
- Goto R., *see* Miller M.M.
- Grohs C., *see* Vaiman D.
- Gruenbaum Y., *see* Kashi Y.
- Guerin G., *see* Imam-Ghali M.
- Guise K.S., *see* Fulton J.E.
- Gunawardana A. & Fries R.: Assignment of the HOX2 and HOX3 gene clusters to the bovine chromosome regions 19q17-qter and 5q14-23, 161
- Gustavsson I., *see* Chowdhary B.P.
- Haberfeld A., Dunnington E.A. & Siegel P.B.: Genetic distances estimated from DNA fingerprints in crosses of White Plymouth Rock chickens, 167
- Haig D., *see* Ballingall K.T.
- Hanrahan V., Sise J.A. & Hill D.F.: A *Msp*I polymorphism at the ovine thyroxine binding globulin locus (TBG), 293
see also Sise J.A.
- Harbitz I., Kristensen T., Bosnes M., Kran S. & Davies W.: DNA sequences of the skeletal muscle calcium release channel cDNA and verification of the arg⁶¹⁵→Cys⁶¹⁵ mutation, associated with porcine malignant hyperthermia, in Norwegian Landrace pigs, 395
- Harbitz I., Kristensen T., Kran S. & Davies W.: Isolation and sequencing of porcine lipoprotein lipase cDNA and its use in multiallelic restriction fragment length polymorphism detection, 517
see also Chowdhary B.P.
see also Davies W.
see also Mariani P.
see also Miller J.R.
- Hasler-Rapacz J., *see* Solinas S.
see also Vogeli P.
- Hecht W., *see* Hiendleder S.
- Heller D.E., *see* Uni Z.
- Hemmings B.A., *see* Couperwhite S.
- Hensen E.J., *see* Joosten I.
- Hetzel D.J.S., *see* Moore S.S.
- Hiendleder S., Hecht W., Dzapo V. & Wassmuth R.: Ovine mitochondrial DNA: restriction enzyme analysis, mapping and sequencing data, 151

- Hiendleder S., Leyhe B., Jaeger C. & Wassmuth R.: A *TaqI* polymorphism at the ovine β_A -inhibin (*INHBA*) locus, 291
- Hill D.F. see Hanrahan V.
see also Montgomery G.W.
see also Sise J.A.
- Hillel J., see Uni Z.
- Hoffman E.P., see Rudolph J.A.
- Hoganson G.E., see Levine L.J.
- Hojný J. & Nielsen P.B.: Allele *E^{bdgmr}* (*E¹⁷*) in the pig E blood group system, 523
- Hønborg L.S. & Larsen B.: Bovine monoclonal alloantibodies to blood group antigens prepared by murine \times bovine or (murine \times bovine) \times bovine interspecies fusions, 497
- Hopkins J., see Ballingall K.T.
- Hospital F., see Lanneluc I.
- Howard J.C., see Ballingall K.T.
- Howes J., see Swarbrick P.A.
- Hu Z.L., see Vogeli P.
- Huang S.C., see Vogeli P.
- Huys Y.M., see Wilkins R.J.
- Imam-Ghali M., Saidi-Mehtar N. & Guerin G.: Sheep gene mapping: synteny between *COL2A1* and the *LDHB-PEPB-TPI-GAPD-LALBA-IGF1* group, 529
- Irwin D.M., Prager E.M. & Wilson A.C.: Evolutionary genetics of ruminant lysozymes, 193
- Jadot M., Laloux J., Burny A. & Kettmann R.: Detection of bovine β -lactoglobulin genomic variants by the polymerase chain reaction method and molecular hybridization, 77
- Jaeger C., see Hiendleder S.
- Jarvi S.I. & Briles W.E.: Identification of the major histocompatibility complex in the ring-necked pheasant, *Phasianus colchicus*, 211
- Johansson M., see Ellegren H.
see also Mariani P.
- Johnson R. & Bullfield G.: Molecular cloning and sequence analysis of a chicken ornithine decarboxylase cDNA, 403
- Joosten I., Teale A.J., van der Poel A. & Hensen E.J.: Biochemical evidence of the expression of two major histocompatibility complex class I genes of bovine peripheral blood mononuclear cells, 113
- Juneja R.K. & Shibata T.: Genetic polymorphism and close linkage of two plasma protein loci in dogs, 143
see also Mariani P.
- Kashi Y., Nave A., Gruenbaum Y., Soller M. & Beckmann J.S.: A minisatellite from which bovine produces highly polymorphic DNA fragment patterns in mammals and chickens, 570
- Kato Y., see Couperwhite S.
- Keime S., Kumm S., Luerssen H. & Engel W.: The nucleotide sequence of boar transition protein 2 (TPN) cDNA and haploid expression of the gene during spermatogenesis, 373
- Kemp S.J., Brezinsky L. & Teale A.J.: ILSTS002: a polymorphic bovine microsatellite, 184
see also Brezinsky B.
- Kettmann R., see Jadot M.
- Khatib H. & Soller M.: Mononucleotide repeat polymorphism at the MYHE locus in chicken, 478
- Khatib K. & Soller M.: Dinucleotide repeat polymorphism at the *STMSGGHU4* locus in chicken, 579
- Kirkpatrick B.W.: Detection of a three-allele single strand conformation polymorphism (SSCP) in the fourth intron of the bovine growth hormone gene, 179
- Kirkpatrick B.W.: *HaeII* and *MspI* polymorphisms are detected in the second intron of the porcine growth hormone gene, 180
- Kirkpatrick B.W.: Identification of a conserved microsatellite site in the porcine and bovine insulin-like growth factor-I gene 5' flank, 543
- Klungland H., see Lien S.
- Konfortov B.A., see Miller J.R.
- Kopp E., see Schellander K.
- Kran S., see Davies W.
see also Harbitz I.
- Kristensen, see Davies W.
see also Harbitz I.
- Kuhn B., see Vogeli P.
- Kühne R., see Vogeli P.
- Kuhnert P., see Solinas S.
- Kumm S., see Keime S.
- Kuryl J., see Zurkowski M.
- Laloux J., see Jadot M.
- Lang J., see Ballingall K.T.
- Lang K.D.M., see Plante Y.
- Lanneluc I., Hospital F., Chevalet C., Elsen J.M. & Gellin J.: Genetic analysis of fingerprints in Merinos d'Arles \times Booroola Merino crossbred sheep, 339
- Larsen B., see Hønborg L.S.
see also Simonsen V.
- Larson R.G., see Ruohonen-Lehto M.K.
- Leger P., see Nguyen T.C.
- Leibold W., see Schuberth H.-J.
- Leone P., see Damiani G.
- Levéziel H., see Vaiman D.
- Levine W.B., see Alexander L.J.
- Lewin H.A., see Beever J.E.
see also van Eijk M.J.T.
- Lewis P., see Phua S.H.
- Leyhe B., see Hiendleder S.
- Lie Ø., see Våge D.I.
- Lien S., Aleström P., Klungland H. & Rogne S.: Detection of multiple β -casein (CASB) alleles by amplification created restriction sites (ACRS), 333
- Lingaas F., see Våge D.I.

- Llanes D., *see* Gonzalez A.
see also Nguyen T.C.
- Lohi O., *see* Simonsen V.
- Luerssen H., *see* Keime S.
- Macdonald A.A., *see* Mellink C.H.M.
- McEwan K.M., *see* Tate M.L.
- McNabb L., *see* Phua S.H.
- Maeda N., *see* Solinas S.
- Manly H.C., *see* Tate M.L.
- Mariani P., Johansson M., Ellegren H., Harbitz I., Juneja R.K. & Andersson L.: Multiple restriction fragment length polymorphisms in the porcine calcium release channel gene (*CRC*): assignment to the halothane (*HAL*) linkage group, 257
- Mayr B., *see* Schellander K.
- Mellink C.H.M., Bosma A.A., de Haan N.A. & Macdonald A.A.: Numerical variation of nucleolar organizer regions after silver staining in domestic and wild Suidae (Mammalia), 231
- Millar P., *see* Glass E.J.
- Miller J.R., Thomsen P.D., Dixon S.C., Tucker E.M., Konfortov B.A. & Harbitz I.: Synteny mapping of the bovine IGHG2, CRC and IGFI genes, 51
- Miller M.M., Goto R., Miyada C.G. & Abplanalp H.: Restriction length polymorphisms at the chicken anion transport (band 3) locus, 290
- Miller N.G.A., *see* Dixon S.C.
- Miyada C.G., *see* Miller M.M.
- Moker J.S., *see* Plante Y.
- Montgomery G.W., Sise J.A., Penty J.M., Tou H.M. & Hill D.F.: Sheep linkage mapping: restriction fragment length polymorphism with heterologous cDNA probes, 411
see also Sise J.A.
see also Tate M.L.
see also Tou H.M.
- Moore S.S.: Dinucleotide polymorphism at the bovine β -globulin locus (HBB), 479
- Moore S.S. & Byrne K.: Dinucleotide polymorphism at the bovine brain ribonuclease locus, 574
- Moore S.S., Barendse W., Berger K.T., Armitage S.M. & Hetzel D.J.S.: Bovine and ovine DNA microsatellites from the EMBL and GENBANK databases, 463
- Moran C., *see* Tee M.K.
- Morera L., *see* Gonzalez A.
see also Nguyen T.C.
- Muggli-Cockett N.E., *see* Stone R.T.
- Nave A., *see* Kashi Y.
- Nguyen T.C., Elsen J.M. & Cullen P.R.: Absence of evidence for linkage between Booroola gene and genetic markers at 11 sheep blood polymorphic loci, 525
- Nguyen T.C., Morera L., Llanes D. & Leger P.: Sheep blood polymorphism and genetic divergence between French Rambouillet and Spanish Merino: role of genetic drift, 325
- Nicholas F.W., *see* Tee M.K.
- Nickel L.S., *see* Bowling A.T.
- Nielsen P.B., *see* Hojny J.
- Obrist R., *see* Vogeli P.
- Oliver R.A., *see* Glass E.J.
- Olsaker I., *see* Vage D.I.
- Osta R., *see* Vaiman D.
- Otis J.S., *see* Fulton J.E.
- Pape U., *see* Schuberth H.-J.
- Parsons Y.M., Cooper D.W., Piper L.R. & Powell B.: A *Bam*HI polymorphism in ovine wool cuticle keratin sequences, 569
- Parsons Y.M., Cooper D.W., Piper L.R. & Adams T.E.: RFLPs at the ovine locus for growth hormone, 571
- Pauli V., *see* Solinas S.
- Pearce P., *see* Phua S.H.
- Peli J., *see* Schellander K.
- Penty J.M., *see* Montgomery G.W.
see also Tou H.M.
- Peterhans A., *see* Solinas S.
- Phua S.H., Collins L., Lewis P., Wood N., McNabb L., Broad T. & Pearce P.: An *Eco*RI restriction fragment length polymorphism at the ovine α_{2s} -casein (ASAS2) locus, 475
- Phua S.H., Collins L., Wood N., McNabb L., Davidson B., Broad T. & Lewis P.: An *Eco*RI restriction fragment length polymorphism at the ovine α_1 type III collagen (COL3A1), 477
see also Wood N.J.
- Pilla F., *see* Damiani G.
- Piper L.R., *see* Parsons Y.M.
- Plante Y., Schmutz S.M., Lang K.D.M. & Moker J.S.: Detection of leucocimaerism in bovine twins by DNA fingerprinting, 295
- Powell B., *see* Parsons Y.M.
- Prager E.M., *see* Irwin D.M.
- Puri N., *see* Ballingall K.T.
- Rapacz J., *see* Solinas S.
see also Vogeli P.
- Redmond J., *see* Ballingall K.T.
- Rocha J.L., Womack J.E. & Baker J.F.: New allelic fragment for the growth hormone-*Taq*I marker in cattle, 480
- Rocha J.L., Womack J.E. & Baker J.F.: New allelic fragment for the growth hormone-*Msp*I in cattle, 481
see also Ferrand N.
- Rogne S., *see* Lien S.
- Rothschild M.F., *see* Ruohonen-Lehto M.K.
- Rubio J., *see* Blanco G.
- Rudolf J.A., Spier S.J., Byrns G. & Hoffman E.P.: Linkage of hyperkalaemic periodic paralysis in Quarter horses to the horse adult skeletal muscle sodium channel gene, 241
- Ruohonen-Lehto M.K., Rothschild M.F., Larson

- R.G. & Warner C.M.: *Msp*I and *Sst*I RFLPs at the porcine proclactin locus (PRL), 573
- Russ I., *see* van Eijk M.J.T.
- Saidi-Mehtar N., *see* Imam-Ghali M.
- Sánchez J.A., *see* Blanco G.
- Sandberg K., *see* Ellegren H.
- Schellander K., Peli J., Taha T.A., Kopp E. & Mayr B.: Diagnosis of bovine freemartinism by the polymerase chain reaction method, 549
- Schmack A., *see* Tate M.L.
- Schmutz S.M., *see* Plante Y.
- Schöber S., *see* Schwenger B.
- Schuberth H.-J., Anders I., Pape U. & Leibold W.: One-dimensional isoelectric focusing and immunoblotting of equine major histocompatibility complex class I antigens, 87
- Schwenger B., Schöber S.J. & Simon D.: *Taq*I polymorphism at the bovine locus for uridine monophosphate synthase (UMPS), 82
- Shibata T., *see* Juneja R.K.
- Siegel P.B., *see* Haberfeld A.
- Simon D., *see* Schwenger B.
- Simonsen V., Damgaard B.M., Larsen B. & Lohi O.: Genetic polymorphism of esterase in plasma of American mink (*Mustela vison* L.), 553
- Sise J.A., Hanrahan V. & Hill D.F.: A *Msp*I polymorphism at the ovine proteolipid protein locus (*PLP*), 292
- Sise J.A. & Montgomery G.W.: A *Pvu*II polymorphism at the ovine corticotrophin releasing hormone (CRH) locus, 86
see also Hanrahan V.
see also Montgomery G.W.
- Solinas S., Hasler-Rapacz J., Maeda N., Rapacz J. & Fries R.: Assignment of the pig apolipoprotein B locus (APOB) to chromosome region 3q24-qter, 71
- Solinas S., Pauli U., Kuhnert P., Peterhans E. & Fries R.: Assignment of the porcine tumour necrosis factor alpha and beta genes to the chromosome region 7p11-q11 by *in situ* hybridization, 267
- Soller M., *see* Kashi Y.
see also Khatib H.
- Sørensen A., *see* Våge D.I.
- Spier S.J., *see* Rudolph J.A.
- Spooner R.L., *see* Våge D.I.
- Stanzinger C., *see* Vogeli P.
- Stewart-Haynes J.A., *see* van Eijk M.J.T.
- Stone R.T. & Muggli-Cockett N.E.: Nucleotide sequence of the second exon of a *BoLA-DQB* gene, 273
- Swarbrick P.A. & Crawford A.M.: Ovine dinucleotide repeat polymorphism at the MAF109 locus, 84
- Swarbrick P.A., Dietz A.B., Womack J.E. & Crawford A.M.: Ovine and bovine dinucleotide repeat polymorphism at the MAF46 locus, 182
see also Buchanan F.C.
- Symons M. & Bell K.: Canine plasma alkaline phosphatase polymorphism and its relationship with the canine Tr blood group system, 315
- Symons M. & Bell K.: Canine blood groups: descriptions of 20 specificities, 509
- Taha T.A., *see* Schellander K.
- Takahashi H., Awata T. & Yasue H.: Characterization of swine short interspersed repetitive sequences, 443
- Tate M.L., Dodds K.G., Thomas K.J. & McEwan K.M.: Genetic polymorphism of plasminogen and vitamin D binding protein in red deer (*Cervus elaphus* L.), 303
- Tate M.L. & McEwan K.M.: Genetic polymorphism of erythrocyte diaphorase in red deer, *Cervus elaphus* L., 449
- Tate M.L., Manly H.C., Dodds K.G. & Montgomery G.W.: Genetic linkage analysis between protein polymorphism and the *Fec^B* major gene in sheep, 417
- Tate M.L., Manly H.C. & Schmack A.: Genetic polymorphism in sheep plasma detected using antibodies to human plasminogen, 385
- Teale A.J., *see* Brezinsky B.
see also Kemp S.J.
see also Joosten I.
- Tee M.K., Moran C. & Nicholas F.W.: Temperature gradient gel electrophoresis: detection of a single base substitution in the cattle β -lactoglobulin gene, 431
- Teng C.T., *see* Alexander L.J.
- Thomas K.J., *see* Tate M.L.
- Thomsen P.D., *see* Miller J.R.
- Tou H.M., Penty J.M. & Montgomery G.W.: A *Pvu*II restriction length polymorphism at the ovine uncoupling protein locus, 83
see also Montgomery G.W.
- Tucker E.M., *see* Dixon S.C.
see also Miller J.R.
- Uni Z., Hillel J., Waiman R., Cahaner A. & Heiler D.E.: Restriction fragment length polymorphism analysis of major histocompatibility complex class IV (B-G) genotypes in meat-type chickens, 379
- Utter F.M., *see* Blanco G.
- Våge D.I., Olsaker I., Lingaas F., Spooner R.L., van der Beek S., Sørensen A., Arnet E.F. & Lie Ø.: High levels of linkage disequilibria between serologically defined class I bovine lymphocyte antigen (BoLA-A) and class II DQB restriction fragment length polymorphism (RFLP) in Norwegian cows, 125
- Våge D.I., Lingaas F., Spooner R.L., Arnet E.F. & Lie Ø.: A study on association between mastitis and serologically defined class I bovine lymphocyte antigens (BoLA-A) in Norwegian cows, 533
- Vaiman D., Osta R., Mercier D., Grohs C.

- Levéziel H.: Characterization of five new bovine dinucleotide repeats, 537
- van der Beek S., *see* Vage D.I.
- van der Poel A., *see* Joosten I.
- van Eijk M.J.T., Russ I., Beever J.E. & Lewin H.A.: Polymorphism in exon 2 of the bovine lymphocyte antigen (BoLA)-DYA gene, 476
- van Eijk M.J.T., Stewart-Haynes J.A. & Lewin H.A.: Extensive polymorphism of the BoLA/DRB3 gene distinguished by PCR-RFLP, 483
- Vankan D.M. & Bell K.: A new transferrin allele in Australian goats, 453
- Vankan D.M. & Bell K.: Genetic polymorphism of plasma vitamin D-binding protein (GC) in Australian goats, 457
- Vázquez E., *see* Blanco G.
- Vögeli P., Kuhn B., Kühne R., Obrist R., Stranzinger C., Huang S.C., Hu Z.L., Hasler-Rapacz J. & Rapacz J.: Evidence for linkage between the swine L blood group and the loci specifying the receptors mediating adhesion of K88 *Escherichia coli* pilus antigens, 19
see also Gonzalez A.
- Waiman R., *see* Uni Z.
- Warner C.M., *see* Ruohonen-Lehto M.K.
- Wassmuth R., *see* Hiendleder S.
- Wilkins R.J. & Huys Y.M.: Rapid β -lactoglobulin genotyping of cattle using polymerase chain reaction, 175
- Williams J.M.W., *see* Glass E.J.
- Wilson A.C., *see* Irwin D.M.
- Womack J.E., *see* Swarbrick P.A.
- Wood N.J., Davidson B.P. & Phua S.H.: A dinucleotide repeat polymorphism at the corticotropin-releasing factor locus in sheep, 572
- Wood N.J., Phua S.H. & Crawford A.M.: A dinucleotide repeat polymorphism at the glycine- and tyrosine-rich keratin locus in sheep, 391
see also Phua S.H.
- Wright H., *see* Ballingall K.T.
- Yasue H., *see* Takahashi H.
- Zhang H.M., Brown D.R., Denise S.K. & Ax R.L.: Nucleotide sequence determination of a bovine somatotropin allele, 578
- Zurkowski M. & Kuryl J.: A new genetic variant Z₂ in the Pi system of horses, 279

Subject Index

- Albumin, serum, polymorphism, rabbit, 275
Alkaline phosphatase locus, RFLP, 577
Allele, complex, pig E blood group system, 523
Alloantigen, horse blood group, 557
Alloclones, BoLA, MHC, 97
Analysis:
 computer, segregation and linkage, 59
 fingerprints, sheep, 339
Antigen:
 dog blood group specificities, 509
 E. coli, 19
 pig blood group, 469
Apolipoprotein, pig locus, 71

Blood group:
 A system, horse, 557
 dog, specificities, 509
 E alleles, pig, 523
 L, pig, 19
 polymorphism, sheep, 325
 Tr, dog, 315
Blood, typing, cattle, 497
BoLA:
 class I antigens, 113, 125
 class II antigens, 97, 273
 DRB3, 483
 exon 2 polymorphism, 476
 mastitis association, 533
Booroola, gene, 525

Calcium, release channel:
 cattle, 43
 pig, 257, 395
Casein:
 bidirectional PCR, 561
 cDNA sequence, pig, 283, 365, 369
 cloning and sequencing, pig, 361
 *Eco*RI RFLP, 475
 genomic variants, 425
 multiple allele detection, 333
Cellulose acetate, isozyme analysis, 221
Chicken:
 anion transporter locus, 290
 dinucleotide repeat, STMSGGHU4 locus, 579
 genetic distances, 167
 MHC class IV, 379
 mononucleotide repeat polymorphism at MYHE, 478
 ornithine decarboxylase, sequence, 403
Chimaerism, PCR diagnosis, cow, 549
Chromosome:
 3, pig apolipoprotein locus, 71
 7, pig tumour necrosis factors, 267

Chromosomes:
 farm animal, gene mapping, 203
 staining, pig, 231
Cloning:
 casein cDNA, pig, 361
 lactoferrin, pig, 251
 ornithine decarboxylase, chicken, 403
 polymorphic microsatellites, horse, 133
Collagen:
 *Eco*RI RFLP, 477
 synteny, 529
Corticotrophin releasing hormone:
 dinucleotide repeat polymorphism, 572
 *Pvu*II polymorphism, 86
Cow:
 BoLa, class I, 113, 125, 533
 BoLa, class II, 97, 273
 BoLA-DRB3, 483
 casein genomic variants, 425
 CRC/GPI, 43, 51
 dinucleotide repeat polymorphism, 182
 freemartinism diagnosis, PCR, 549
 globin locus, dinucleotide polymorphism, 479
 growth hormone, markers, 179
 HEXB locus, RFLP, 289
 homeobox clusters, 161
 insulin-like growth factor-I gene, 543
 lactoglobulin 77, 175, 431
 mastitis associated with BoLA-A, 533
 microsatellites, 463, 537
 monoclonal alloantibodies, 497
 polymorphic microsatellite, 81, 184
 probe, pV47, 63
 synteny mapping, 51
 twins, leucochimaerism, 295
 UMPS, 82
Cytometry, bivariate flow, 203

Deer:
 diaphorase, erythrocyte, 449
 plasminogen and vitamin D polymorphism, 303
Diaphorase, erythrocyte, deer, 449
Differentiation, genetic, salmon, 11
Digestion, evolution, ruminant lysozymes, 193
Dinucleotide, repeat polymorphism, sheep, 84, 85
Distance, genetic, chicken, 167
Divergence:
 mink esterase, plasma, 553
 sheep blood groups, 325
Diversity, genetic, horse, 1
DNA:
 cattle, fingerprinting, 63
 chicken, genetic distance, 167
 heterologous probes, 411

- horse, fingerprinting, 11
- lactoferrin, 251
- leucochimaerism, cow twins, 295
- lipoprotein lipase sequencing, pig, 517
- mediated gene transfer, sheep, 347
- microsatellites, 463
- mitochondrial, sheep, 151
- sequences, pig, 395, 443
- transition protein, 373
- Dog:
 - alkaline phosphatase, 315
 - blood group specificities, 509
 - plasma protein, linkage, polymorphism, 143
- Drift, genetic, sheep blood groups, 325
- ELA, 87
- Electrophoresis:
 - gel, 2D horizontal, 143, 275
 - polyacrylamide gel, 453
 - protein, salmon, 11
 - temperature gradient gel, 431
- Enzyme, restriction analysis, 151
- Erythrocyte:
 - antigens, cow, 497; pig, 469
 - diaphorase, polymorphism, 449
- Esterase, polymorphism, mink plasma, 553
- Evolution, ruminant, lysozymes, 193
- Freemartinism, PCR diagnosis, 549
- Genotyping:
 - casein B, cow, 561
 - lactoglobulin, cattle, 175, 431
- Glucose, phosphate isomerase, 43, 437
- Goat:
 - transferrin, new allele, 453
 - vitamin D-binding protein, 457
- Growth:
 - factor-I gene, insulin-like, 543
 - hormone, *TaqI* marker, cow, 480
- Halothane, linkage group, pig, 257
- Haploid, expression, pig spermatogenesis, 373
- Haplotypes, pheasant, 211
- Heterohybridoma, cattle, 497
- Homeobox, chromosome assignment, 161
- Hormone, growth, sheep, RFLP, 571
- Horse:
 - A system alloantigens, new, 57
 - calcium release channel, 43
 - cloning, polymorphic microsatellites, 133
 - DNA fingerprinting, 1
 - linkage, hyperkalaemia with sodium channel, 241
 - MHC class I, 87
 - Pi system, 279
- Hybridization:
 - calcium channel, *in situ*, 43
 - homeobox, 161
 - lactoglobulin, bovine, 77
- Hyperkalaemia, linkage with sodium channel, horse, 241
- Hyperthermia, malignant, pig, 257, 395
- Immunoglobulin, light chain locus, sheep, 31
- Immunoblotting:
 - deer, polymorphisms, 303
 - equine, MHC, 87
 - goat, vitamin D-binding protein, 457
 - sheep, plasminogen, 385
- Intraspecific, differences, sheep, 151
- Isocitrate dehydrogenase, deer, polymorphism, 303
- Isoelectric focusing:
 - one-dimensional, 87, 97, 273
 - two-dimensional, 113, 273
- Isozyme, analysis, 221
- Kappa, light chain genes, sheep, 31
- Karyotype, flow, 203
- Keratin, sheep wool, *BamHI* polymorphism, 569
- Kidney alkaline phosphatase locus, RFLP, 577
- Lactoferrin, cDNA, pig, 251
- Lactoglobulin, bovine:
 - genomic variants, 77
 - genotyping, 175
 - sequence, pig, 263
 - single base substitution, cow, 431
- Lambda, light chain genes, sheep 31
- Leucochimaerism, detection, DNA fingerprinting, 295
- Linkage:
 - analysis, segregation, 59
 - Booroola gene, sheep, 525
 - disequilibrium, BoLA and DQB RFLP, 125
 - fingerprints, sheep, 339
 - halothane and CRC, pig, 257
 - hyperkalaemia with sodium channel, horse, 241
 - mapping, sheep, 411
 - pig L blood group, 19
 - plasma protein, dog, 143
 - protein polymorphism, sheep, 417
- Lipoprotein, lipase sequence, pig, 517
- Locus:
 - adhesion of antigens, 19
 - immunoglobulin light chain, sheep, 31
- Lysozyme, evolutionary genetics, 193
- MAF65, dinucleotide repeat polymorphism, 85
- MAF109, dinucleotide repeat polymorphism, 84
- MAF214, dinucleotide repeat polymorphism, 394

- Map, restriction, 151
- Mapping:
- apolipoprotein, pig, 71
 - bivariate flow cytometry, 203
 - CRC gene, 43
 - dinucleotide repeats, cow, 537
 - homeobox, 161
 - linkage, sheep, 411
 - microsatellites, 463
 - pheasant, ring-necked, 211
 - sheep gene synteny, 529
 - synteny, 51
 - tumour necrosis, pig, 267
- Markers, sheep, 525
- Mastitis, association with BoLA-A, 533
- MHC:
- bovine, class I, 113; class II, 97
 - chicken, class IV, 379
 - equine, class I, 87
 - IGF-I, 543
 - ovine class II, 347
- Microsatellite, polymorphic:
- bovine, 81, 537
 - horse, 13
- Migration, salmon, 11
- Minisatellite, cow, polymorphic fingerprints, 570
- Mink, plasma esterase polymorphism, 553
- Mitochondria, DNA, sheep, 151
- Model, computer, segregation and linkage, 59
- Monoclonal antibodies:
- cattle, 497
 - mouse, 469
 - sheep, 347
- Mononuclear cells, MHC, 113
- Mouse, monoclonal antibodies, 469
- Multiallele, RFLP detection, 517
- Multigene, families, 193
- Multiplex, RCR, 333
- Mutation, detection, 395
- Necrosis, tumour, gene assignment, 267
- Neuromuscular, disease, horse, 241
- Nuclear, organizer region, pig, 231
- Nucleotide, sequence data, 483
- Ornithine, decarboxylase, sequence, chicken, 403
- Parathyroid hormone *Msp*I, cow, 481
- Paternity testing, horse, 133
- PCR:
- casein genomic variants, 425, 561
 - freemartinism diagnosis, cow, 549
 - lactoglobulin genotyping, cattle, 175
 - microsatellites, horse, 133
 - multiplex, 333
 - RFLP, 483
- Pheasant, ring-necked, MHC, 211
- Phosphatase, plasma alkaline, dog, 315
- Phosphogluconate dehydrogenase, RFLP, 575
- Pi, system horse, 279
- Pig:
- apolipoprotein locus, 71
 - blood group, antigens, 469; alleles, 523
 - calcium release channel, 395
 - casein, cDNA sequence, 283, 361, 365, 369
 - glucose phosphate isomerase, 437
 - growth hormone, marker, 180
 - halothane and CRC linkage, 257
 - IGF-I, 543
 - L blood group, 19
 - lactoferrin cDNA, 251
 - lactoglobulin sequence, 263
 - lipoprotein lipase sequence, 517
 - NOR after silver staining, 231
 - repetitive sequences, short interspersed, 443
 - transition protein sequence, 373
 - tumour necrosis, gene assignment, 267
- Plasminogen:
- deer, polymorphism, 303
 - sheep, polymorphism, 385
- Polyacrylamide, gel electrophoresis, 453
- Polymerase, chain reaction, bovine Lg, 77
- Polymorphism:
- albumin, serum, rabbit, 275
 - blood group, sheep, 325
 - bovine microsatellite, 81
 - horse, microsatellite, 133
 - lambda C locus, sheep, 31
 - MAF locus, 84, 85
 - plasma alkaline phosphatase, dog, 315
 - plasma protein, dog, 143
 - plasminogen, deer, 303; sheep, 385
 - Pvu*II, sheep, 83, 86
 - Taq*I, bovine UMPS, 82
- Probe, pV47, 63
- Prolactin locus, RFLP, 573
- Protease, plasma, inhibitor, horse, 279
- Protein:
- phosphatase, *Bam*HI RFLP, 568
 - plasma, polymorphism, dog, 143
 - polymorphism, sheep, 417
 - transition, pig, nucleotide sequence, 373
 - uncoupling locus, sheep, 83
 - variants, RNA splicing, 283
 - vitamin D binding, deer, 303
- Pvu*II, RFLP, sheep, 83
- Receptors, mediating adhesion, *E. coli*, 19
- Restriction, site, amplification created, 333
- Ribonuclease locus, bovine brain, dinucleotide polymorphism, 574

RFLP:

- CRC, pig, 257
- detection, heterologous cDNA probes, 411
- DQB, Norwegian cows, 125
- MHC class IV, chicken, 379
- multiallelic, pig, 517

Restriction, map, sheep, 151

RNA:

- NOR variation, pig, 231
- protein variants, altered by splicing, 283
- splicing, 263, 365, 369

Ruminant, lysozymes, evolutionary genetics, 193

Salmon, genetic differentiation, 11

Sarcoma, oncogene homolog locus, RFLP, 576

Segregation, linkage analysis, 59

Sequencing:

- analysis, ornithine decarboxylase, chicken, 403
- data, nucleotide, 483
- lactoferrin cDNA, pig, 251
- mitochondrial DNA, sheep, 151
- short interspersed, pig, 443

Serology, dog, 315, 509

Sheep:

- blood group polymorphism, 325
- Booroola gene, 525
- corticotrophin RH locus, 86
- dinucleotide repeat at MAF locus, 84, 85, 182, 183, 185+, 394
- dinucleotide repeat polymorphism within MHC, 392
- FCB4 locus dinucleotide repeat polymorphism, 393
- fingerprint analysis, 339
- gene mapping, 529
- glycine locus, dinucleotide repeat polymorphism, 391
- immunoglobulin light chain loci, 31
- inhibin locus, 291
- keratin locus, dinucleotide repeat polymorphism, 391
- linkage mapping, 411

MHC class II, 347

microsatellites, 463

mitochondrial DNA, 151

plasma polymorphism, 385

protein uncoupling locus, 83

protein polymorphisms, 417

proteolipid protein locus, 292

*Taq*I, polymorphism, 482

thyroxine binding globulin locus, 293

tyrosine, dinucleotide repeat polymorphism, 391

Sodium, channel, muscle, horse, 241

Somatotropin, nucleotide sequence, 578

Sorting, FAC, 203

Spermatogenesis, gene expression, 373

Staining, silver, NOR, pig, 231

Synteny:

- CRC with GPI, 43
- mapping bovine genes, 51
- sheep genes, 529

T-cell BoLA class II antigens, 97

TG, repeat, horse, 1

Thyroid stimulating hormone, *Taq*I RFLP, 567

Transferrin, polymorphism:

- deer, 303
- goat, 453

Tumour, necrosis factors, pig, 267

UMPS, *Taq*I, 82

Variation, allelic, bovine lactoglobulin, 77

Variants, casein genome, cow, 425

Vitamin D, binding protein, polymorphism:

- deer, 303
- goat, 457

VNTR:

- chicken, 167
- pig, 437
- sheep, 339

Walleye, isozyme analysis, 221

